


# Charter Township of Waterford



Main Street Elevated Water Storage Tank



Newly Constructed and Multiple Award Winning Water Treatment Plant 31-1 Located at Hess Park on Williams Lake Road



Cass Lake Elevated Water Storage Tank



## 2009 Annual Water Quality Report

**Waterford Township Department of Public Works (DPW) Presents  
The 12<sup>th</sup> Annual Drinking Water Quality Report**

The Waterford Township Department of Public Works (DPW) presents its' twelfth annual Drinking Water Quality Report! While the Environmental Protection Agency (EPA) and the Michigan Department of Environmental Quality (MDEQ) require water utilities to report the quality of your drinking water, the DPW considers it a priority to inform you, our customers, about the safety of the water you drink and the importance of protecting our water supply. The DPW is also pleased to announce that there were no treatment or monitoring violations for Operational Year 2009. If you have any questions or desire more information about this report or any other subject related to your water quality, please contact Dave McKee (Water and Sewer Division Superintendent), Phone: 248-674-2278 Fax: 248-674-8658, Email: [dmckee@twp.waterford.mi.us](mailto:dmckee@twp.waterford.mi.us)

Sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. The DPW utilizes wells to provide drinking water. As water travels over land surface or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material and can pick up substances resulting from the presence of animals or from human activity. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800)426-4791.

### Where does my drinking water come from?

The Township's water supply is obtained from nineteen (19) wells located at ten (10) different locations throughout Waterford Township. The water is treated through a variety of processes including iron and manganese removal at ten (10) Water Treatment Plants located throughout the Township. Chlorine gas and Ortho Phosphate are also added for disinfection and lead and copper control respectively. In order to ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) establishes limits for contaminants in bottled water.

### Contaminants that may be present in source water include:

- **Microbial Contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- **Inorganic contaminants**, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.
- **Organic Chemical Contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- **Pesticides and Herbicides**, which may come from a variety of sources such as agricultural and residential uses.
- **Radioactive contaminants**, which are naturally occurring or be the result of oil and gas production and mining activities.

## What contaminants are in my water?

The following is a list of some common contaminants and their associated health effects when the Maximum Contaminant Level (MCL) is exceeded. If a particular MCL or Action Level (AL) is exceeded, additional treatment or other action may be required. However, the Township's water falls below the MCL's and AL's for these and all other parameter's monitored.

**Copper:** Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short period of time may experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's disease should consult their personal physician.

**Fluoride:** Some people who drink water containing fluoride in excess of the MCL over many years could get bone disease, including pain and tenderness of the bones. Children may get mottled teeth. The DPW treatment process does not add Fluoride to its finished water. However, fluoride occurs naturally in ground water. Please refer to the data table on the last page for the levels of fluoride observed in 2009. Please consult with your health care provider for fluoride supplement recommendations.

**Lead:** If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The DPW is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. Additional information is available from the Safe Drinking Water Hotline (800-426-4791).

**Arsenic:** Used in the manufacturing of pesticides, metal products, pigments and dyes, and medicine, arsenic is a naturally occurring element in our environment and can be found in groundwater. While a known carcinogen, the health effects of arsenic depend on the amount consumed. The current MCL for arsenic is 10ppb, which was lowered from 50ppb by the EPA. In operational year 2009, Township water met or exceeded the new stringent arsenic criteria. Please visit our website for further information regarding the Township's arsenic levels at <http://www.twp.waterford.mi.us/publicworks/ARSENIC.htm>. Even though your drinking water meets EPA arsenic standards, it does contain naturally occurring low levels. The EPA standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The EPA continues to research on the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

**Nitrate:** Nitrate is formed when oxygen in the air or dissolved with water combines with nitrogen. While nitrate is naturally occurring, concentrations can rise from septic tank leachate and fertilizers, which are rich in nitrogen. Infants below the age of six months who drink water containing nitrate in excess of the MCL could become seriously ill and, if untreated, may die. Symptoms include shortness of breath and blue baby syndrome. The MCL for nitrate is 10ppm and Township water was not detected to have any nitrates above the MCL for the samples taken in Operational Year 2009.

**TTHM's and HAA5:** Total Trihalomethanes (TTHM's) and Haloacetic (HAA5) are a group of chemicals that are formed along with other disinfection by-products when chlorine or other disinfectants used to control microbial contaminants in drinking water react with naturally occurring organic and inorganic material in water.

### Waterford Township Wellhead Protection



Since Waterford's source water is derived from wells, it is in the community's best interest to safeguard the resource. Part of this protection includes the Township's development of eleven (11) Well Head Protection Areas (WHPAS), which have been approved by the Michigan Department of Environmental Quality. These areas define the boundaries of the 10-year zone of capture for a specific wellhead. If untreated, a contaminant release at the edge of the boundary would, theoretically, take approximately 10 years to reach the wellhead. As a result, this powerful analytical tool allows for the development of an action plan to resolve the problem before the wellhead would become contaminated.

Education is a major component of the Program. This includes:

- Informational road signs placed throughout the township. Look for these signs around our community wherever main roads intersect wellhead protection areas.
- Classroom demonstrations in Waterford Schools.
- Promotional movie trailer recently shown at Waterford MJR Cinemas.
- Informational booths at community civic events.

Please remember, you can do your part by disposing of contaminants properly, as well as reporting spills and dumping. For more information on this topic please feel free to contact Bill Fritz, DPW Engineering Superintendent at: 248-618-7464.

## Frequently Asked Questions (F.A.Q.'s)

### Do I need to take special precautions with my drinking water?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune disorders, some elderly, and infants can be particularly at risk for infection. These people should seek advice about drinking water from their health care providers. EPA/Center for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791. The Water Quality Data Table on the last page of this report lists all of the drinking water contaminants that were detected during the calendar year of this report. Additionally, the second and third pages of this report break down possible contaminants in your water and the methods the DPW uses to protect the water supply. The presence of these possible contaminants in the water does not necessarily indicate that the water poses a health risk.

### Does the Township recommend a water softener?

While DPW treatment facilities substantially remove iron from the water, hardness remains and water softeners are recommended. Water hardness realized by property owners will vary depending on the source of ground water utilized at a treatment facility in a given area. We suggest customers set their water softener units at 18 grains initially and subsequently adjust as necessary. In operational year 2009, the average grains per gallon were 18.71 based on sampling. Please feel free to call the Water Treatment Branch at: 248.618.7483 for individual settings for your water softener.



### What should I know about hydrant flushing?

Water hydrant flushing is conducted to improve water quality and is conducted in the spring and fall of each year as necessary. The DPW conducts hydrant flushing at night to minimize service interruption and inconvenience to customers. However, it is not uncommon to experience rusty looking water immediately following flushing. This condition should clear up in a short time after flushing.

### Is there an easier way to pay my water/sewer bill or access my utility account?

The DPW offers customers the convenience of paying their water and sewer bills via an auto-debit from their checking or savings accounts. Please visit the DPW website for enrollment forms. The DPW also offers customers the convenience of viewing their account status, as well as the option of paying their water and sewer utility bills online with a credit card 24 hours a day. The account viewing service is free of charge and available 24 hours a day. A convenience charge of 3% of the bill is applied by the 3<sup>rd</sup> party processing company for credit card payments. Please visit the DPW web site at:

[www.twp.waterford.mi.us/publicworks](http://www.twp.waterford.mi.us/publicworks)

### DPW Online Citizen Service Request System

Citizens now have the ability to report issues and concerns electronically to the DPW 24 hours a day via the online citizen service request system available on the DPW's Web Site at: <http://www.twp.waterford.mi.us/publicworks/> Issues related to the Township's Water and Sewer Systems, as well as Township Bike Paths, Cemeteries and the Township Campus will be routed to the appropriate personnel for action.

### Did you know?

- The Township has approximately 350 miles of water main that are operated and maintained by the DPW.
- The DPW is somewhat unique in Southeastern Michigan in that it is responsible for the pumping, treatment and distribution of potable drinking water to its 24,443 customers. Most of Southeastern Michigan is served by the Detroit Water and Sewerage Department (DWSD).
- The Township water system has 3,644 Fire Hydrants that are serviced and maintained by the DPW.
- The DPW is deploying a radio based Fixed Network (FN) Meter Reading System. Meter Readings and alerts in this system are sent to the DPW without the need to enter customer's property to obtain meter reads.
- In 2009, the DPW pumped over 2.8 billion gallons of water with an average daily annual demand of 7.7 million gallons, peak daily demands of 23.3 million gallons and peak hourly demands exceeding 27.2 millions gallons of water per day.
- The DPW was recognized in 2009 for the following awards: American Water Works Association (AWWA)-Michigan Research and Technical Practices Award, The American Council of Engineering Companies (ACEC) Engineering Merit Award, and The Metro Detroit Branch of the American Public Works Association (APWA) Project of the Year.

# 2009 Water Quality Data Table

Per MDEQ and/or EPA monitoring requirements, contaminant-monitoring schedules vary and can exceed calendar years in collection and testing frequency.

Unless otherwise noted, the data presented in this table is from testing done in the calendar year 2009.

	<u>Testing Violatio</u>	<u>Testing Date(s)</u>	<u>MCLG</u>	<u>MCL</u>	<u>Your Water</u>	<u>Sample Range</u>	<u>Major Sources in Drinking Water</u>
<b>Inorganic Contaminants:</b>							
Fluoride (ppm)	NO	2009	4	4	0.68	0.0 to 0.68	Erosion of natural deposits and discharge
Arsenic (ppb)	NO	2009	N/A	10	*6.675	0.0 to 9.00	Used in agricultural production and naturally
Selenium (ppb)	NO	2009	50	50	2	0.0 to 2.0	Discharge from petroleum, metal refineries,
Barium (ppm)	NO	2009	2	2	0.24	0.09 to 0.24	Discharge of drilling wastes and metal
							refineries as well as erosion of natural
							deposits.
<b>Radioactive Contaminants:</b>							
Combined Radium (pCi/L)	NO	2009	0	5	1.30	0.08 to 1.30	Erosion of natural deposits.
<b>Organic Contaminants:</b>							
TTHM Total Trihalomethane (Distribution System) (ppb)	NO	2009	N/A	80	*22.10	14.00 to 40.00	By-product of drinking water disinfection
HAA5 Total Haloacetic Acid (Distribution System) (ppb)	NO	2009	N/A	60	*6.60	2.0 to 14.00	By-product of drinking water disinfection
<b>2008 Microbial Contaminants - Monthly Monitoring in the Distribution System</b>							
Total Coliform Bacteria	NO	2009	0	>5% of monthly		In one month = 0	Naturally Present in the Environment. No violation in 2009.
E. Coli (fecal) Coliform Bacteria	NO	2009	0			In one year = 0	Human waste and animal fecal waste. No violation in 2009.
<b>Special Monitoring of Contaminants</b>							
Sodium (ppm)	NO	2009	NA	NA	123	7 to 123	Erosion of natural deposits.
Chlorine (ppm)	NO	2009	4	4	2	0.0 to 2.0	Water additive used to control microbes.
<b>Copper/Lead</b>							
			<u>MCLG</u>	<u>AL</u>	<u>90th%</u>	<u>Sites above AL</u>	<u>Major Sources in Drinking Water</u>
Copper (ppm)		2008	1.3	1.3	.816 ppm	0 out of 30 sites	Corrosion of household plumbing systems, erosion of natural deposits, leaching from
Lead (ppb)	NO	2008	0	15	5.94 ppb	0 out of 30 sites	wood preservatives
							Corrosion of household plumbing systems and erosion of natural deposits.

## Terms and Abbreviations

\*Indicates an annual average calculation

Your Water: the highest single value obtained during the reporting period unless noted with an \*

Sample Range: The lowest to the highest values obtained.

MRDLG: The level of a drinking water disinfectant below which there is no expected health risk.

MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

MCL: The Maximum Contaminant Level is the highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG: The Maximum Contaminant Level Goal is the level below which there are no known health risks. MCLGs allow for a margin of safety.

AL: The action level is the concentration of contaminant which, if exceeded, requires treatment.

90th Percentile: 90% of the homes tested have lead/copper levels at or below the 90th percentile value

MRDL: The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

N/A: Not Applicable ppb: Parts per Billion ppm: Parts per Million pCi/l: Picocuries per liter (a measure of radioactivity).

RAA: Running Annual Average Calculation.